

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – RWS&S Department – Allegations of furnishing two contrary misleading reports to Government on the issue of procurement of HP spares and GI pipes to the RWS&S Sub-Divisions at Ongole and Kandukuru in Prakasam District – Disciplinary proceedings against Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 read with Rule 9 of A.P. Revised Pension Rules, 1980 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 1620.

Dated: 17.10.2013

Read:

G.O.Ms.No. 426, PR&RD (Vig.IA) Dept., dt. 17.10.2013.

ORDER:

In pursuance of the sanction accorded in the reference read above, under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980, for instituting departmental proceedings against Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), it is proposed to hold an enquiry against Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.), is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(PTO)

::2::

7. The receipt of this order shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

To
Sri S.S.R. Anjaneyulu, Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.) through
the Engineer-in-Chief, RWS&S, Hyderabad.
The Engineer-in-Chief, RWS &S, Hyderabad.
(in duplicate with a request to serve and return the dated acknowledgement copy)
Copy to:
The PR&RD (Estt.I) Department.
SF/SC

//FORWARDED: BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No 1620 , PR&RD (Vig.IA) Dept., dt. 17.10.2013)

STATEMENT OF ARTICLE OF CHARGES AGAINST SRI S.S.R. ANYANEYULU, CHIEF ENGINEER, V&QC, RWS&S, HYDERABAD (NOW RETD.)

CHARGE:

That Sri S.S.R. Anjaneyulu, while working as Chief Engineer, V&QC, RWS&S, Hyderabad, has submitted two contradictory misleading reports to Government on the issue of procurement of HP spares and GI pipes to the RWS&S Sub-Divisions at Ongole and Kandukuru in Prakasam District.

Basis:

Sri S.S.R. Anjaneyulu, the then Chief Engineer, V&QC, RWS&S, Hyderabad (now Retd.) in his report Lr. AEE1/DEEIII/RWS&S/Vig.&QC/HP Spares/Ongole, dt.11.07.2012, has recommended that Sri R.M.R. Dayal, Superintending Engineer, RWS&S, Ongole, has committed misconduct and to take suitable action against him for placing purchase orders to procure HP spares and GI pipes are not as per IS but confirming to relevant IS specifications which is against BIS guidelines and rules in vogue. But after receiving the representation from Sri R.M.R. Dayal, when the ENC, RWS&S has called for remarks, Sri S.S.R. Anjaneyulu, the then Chief Engineer, V&QC, RWS&S, Hyderabad in his letter Lr. AEE1/DEEIII/RWS&S/Vig.&QC/HP Spares/Ongole, dt. 05.12.2012 has stated that the specifications made in the indents are not in proper format and may be due to the unawareness in describing the technical specification and the earlier report (dt.11.07.2012) submitted by him may be ignored in respect of SE, RWS&S, Ongole, since no misconduct is committed by the individual. From this, it is evident that he has submitted two contradictory reports on the same issue which are misleading reports without any justification and diametrically opposite to each other. This shows gross negligence exhibited by him towards his legitimate duties and violated Rule (3) of A.P.Civil Services (Conduct) Rules, 1964.

Hence, the charge.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. , PR&RD (Vig.IA) Dept., dt. 17.10.2013)

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE ARE PROPOSED TO BE SUSTAINED AGAINST SRI S.S.R. ANJANEYULU, CHIEF ENGINEER, V&QC, RWS&S, HYDERABAD.

1. Chief Engineer, Vig.&QC, Hyderabad Lr. AEE1/DEEIII /RWS&S/Vig.&QC /HP Spares/ Ongole, dt. 11.07.2012.
2. Chief Engineer, Vig.&QC, Hyderabad Lr. AEE1/DEEIII /RWS&S/Vig.&QC /HP Spares/ Ongole, dt. 05.12.2012.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. , PR&RD (Vig.IA) Dept., dt.17.10.2013)

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE ARE PROPOSED TO BE SUSTAINED AGAISNT SRI S.S.R. ANJANEYULU, CHIEF ENGINEER, V&QC, RWS&S, HYDERABAD.

- NIL -

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER